SPORTRON

PATIENT INFORMATION LEAFLET

SCHEDULING STATUS: S0

PROPRIETARY NAME (AND DOSAGE FORM):

Sportron A-tron Gel

Active Ingredients per 1g: Cannabidiol (Cannabis sativa) ISOLATE 0,05 mg (1:100 M/M), Methylsulfonylmethane 25 mg, Arnica montana extract 30 mg, Clove Essential Oil (Syzygium aromaticum) 1.5 mg, Wintergreen Essential Oil (Gaultheria procumbens) 1.75 mg, Rosemary Essential Oil (Rosmarinus officinalis) 0.5 mg.

Category D: Complementary Medicine, D34.12. Health Supplements

This unregistered medicine has not been evaluated by the SAHPRA for its quality, safety, or intended use.

Read this leaflet carefully as it contains important information for you.

Sportron A-tron Gel is available without a doctor's prescription for soothing joint pain, swelling and stiffness. Nevertheless, you still need to use Sportron A-tron Gel carefully to get the best results from it.

- Keep this leaflet. You may need to read it again.
- Do not share Sportron A-tron Gel with any other person.
- Ask your health care provider or pharmacist if you need more information or advice.
- You must consult a doctor if your condition worsens or does not improve after 7 days.

What is in this leaflet:

1. **What Sportron A-tron Gel is and what is it used for**
2. **What you need to know before you use Sportron A-tron Gel**
3. **How to use Sportron A-tron Gel**
4. **Possible side effects**
5. **How to store Sportron A-tron Gel**
6. **Contents of the pack and other information**

1. WHAT SPORTRON A-TRON GEL IS AND WHAT THEY ARE USED FOR

Sportron A-tron Gel is used daily to soothe joint pain, swelling and stiffness. This product may be used by adults aged 18 years and over.

2. WHAT YOU NEED TO KNOW BEFORE YOU USE SPORTRON A-TRON GEL

- Do not use Sportron A-tron Gel if you are hypersensitive (allergic) to any ingredients.
- If you are unsure if you should use Sportron A-tron Gel, talk to your doctor or pharmacist.

Warnings and precautions:

Sportron A-tron Gel is for external use only.

If you are taking prescription medication, consult a healthcare practitioner prior to use. If any unwanted/adverse effect develops, discontinue use and consult your doctor or pharmacist. Use is described in adults aged 18 years and older.

Tell your healthcare provider prior to use

- If you are taking any prescription medication
- If you are pregnant, trying to become pregnant or are breast-feeding ask your doctor or pharmacist for advice

Pregnancy and Breastfeeding

Sportron A-tron Gel should not be used during pregnancy, and a healthcare provider should be consulted for advice prior to taking Sportron A-tron Gel when breastfeeding.

Driving and using machines

Sportron A-tron Gel has no known effect on an individual's ability to drive or operate machinery.

Taking other medicines or food and drink with Sportron A-tron Gel

Always tell your healthcare provider if you are taking any other medicine. Sportron A-tron Gel is not known to react badly with any type of food or drink but may affect absorption of nutrients and medications.

3. HOW TO USE SPORTRON A-TRON GEL

The usual dose is:

Apply a thin layer to the affected area no more than 6 times per day. Massage gently for 2 minutes after application.

Method of administration:

Sportron A-tron Gel is for external use only.

If you apply more Sportron A-tron Gel than you should:

If anyone, especially a child, accidentally ingests or applies too much Sportron A-tron Gel contact your doctor or local poison centre immediately. Sportron A-tron Gel should not be used continuously for longer than one week. If symptoms persist consult your doctor. If you see a doctor or have to go to hospital for any reason, tell them what medicines you are taking.

If you forget to apply Sportron A-tron Gel:

Do not apply double the application to make up for forgotten individual applications.

4. POSSIBLE SIDE EFFECTS

None known. If any side effects are experienced, please tell your doctor or pharmacist.

Sportron A-tron Gel is not known to react badly with any other medicines or any types of food or drink.

Should your general health worsen, or if you experience any untoward effects while using this product, please consult your doctor, pharmacist, or other health care professional for advice. If you notice any side effects not mentioned in this leaflet, please inform your doctor or pharmacist. You can also report side effects to SAHPRA via the 6.04 Adverse Drug Reaction Reporting Form", found online under SAHPRA's publications: https://www.sahpra.org.za/document/adverse-drug-reactions-and-quality-problem-reporting-form/. By reporting side effects, you can help provide more information on the safety of Sportron A-tron Gel.

5. HOW TO STORE SPORTRON A-TRON GEL

Store below 30 ˚C in a cool, dry place. Store out of reach of children. Store out of reach of children. Store in the original package / container. Do not store in a bathroom. Do not use after the expiry date printed on the bottle. The expiry date refers to the last day of that month. Do not use Sportron A-tron Gel if you notice visible signs of deterioration. Return all unused medicine to your pharmacist. Do not dispose of unused medicine in drains or sewerage systems (e.g., toilets). Shelf life: 2 years

6. CONTENTS OF THE PACK AND OTHER INFORMATION

What Sportron A-tron Gel contains:

Active Ingredients per 1g: Cannabidiol (Cannabis sativa) ISOLATE 0,05 mg (1:100 M/M), Methylsulfonylmethane 25 mg, Arnica montana extract 30 mg, Clove Essential Oil (Syzygium aromaticum) 1.5 mg, Wintergreen Essential Oil (Gaultheria procumbens) 1.75 mg, Rosemary Essential Oil (Rosmarinus officinalis) 0.5 mg.

Inactive ingredients: RO Water, Carborner, Menthol, CBD Oil ≤25 mg per 5g, Sodium Benzoate, Potassium Sorbate, EDTA2Na, Vanillyl Butyl Ether, Polysorbate 20, Colorant, Triethanolamine.

What Sportron A-tron Gel looks like and contents of the pack:

Sportron A-tron Gel is a light green gel in a white jar with a white lid, containing 50g.

Distributed by:

Sportron Group (Pty) Ltd Route 21 Business Park, 59 Regency Drive, Centurion, South Africa, 0157.

Tel: +27 (11) 317 8500

www.sportron.co.za

Name and Address of Holder of Certificate of Registration

Microbel Laboratories (Pty) Ltd,

86 Gazelle Ave, Corporate Park South,

Midrand, Gauteng, 1685, South Africa.

Email: info@microbel.co.za

+27 11 076 4000

This leaflet was last revised

February 2026

Registration/Application number

Application Number: TBC

Access to the corresponding Professional Information (PI): www.obellabs.co.za

SPORTRON

PASIËNTINLIGTINGSPAMFLET

SKEDULERINGSTATUS: S0

EIENDOMSNAAM (STERKTE EN DOSEERVORM)

Sportron A-tron Gel

Aktiewe bestanddele per 1g: Cannabidiol (Cannabis sativa) ISOLAAT 0,05 mg (1:100 M/M), Metielsulfonielmetaan 25 mg, Arnica montana-ekstrak 30 mg, Kruie Essensiële Olie (Syzygium aromaticum) 1.5 mg, Wintergreen Essensiële Olie (Gaultheria procumbens) 1.75 mg, Rosmaryn Essensiële Olie (Rosmarinus officinalis) 0.5 mg.

Kategorie D: Komplementêre Medisyne. D 34.12. Gesondheidsaanvullings.

Hierdie ongeregistreerde medisyne is nie deur SAHPRA geëvalueer ten opsigte van kwaliteit, veiligheid of voorgenome gebruik nie.

Lees dié hele pamflet aandagtig deur, dit bevat belangrike inligting.

Sportron A-tron Gel is beskikbaar sonder ‘n voorskrif van die dokter, vir spysvertering ondersteuning. Nietemin, Sportron A-tron Gel moet nogtans versigtig gebruik word om die beste resultate te verkry.

- Moenie hierdie pamflet weggooi nie. U mag dit moontlik weer moet lees.
- Moenie Sportron A-tron Gel met enige ander person deel nie.
- Vra u gesondheidsorgverskaffer of apteker indien u meer inligting of advies benodig.
- Jy moet ‘n dokter raadpleeg as jou toestand vererger of nie verbeter na 7 dae nie.

WAT IS IN HIERDIE PAMFLET

1. **Wat Sportron A-tron Gel is en waarvoor dit gebruik word.**
2. **Wat u moet weet voordat u Sportron A-tron Gel gebruik.**
3. **Hoe om Sportron A-tron Gel te gebruik.**
4. **Moontlike newe-effekte.**
5. **Bergingsaanwysings vir Sportron A-tron Gel.**
6. **Inhoud van die verpakking en ander inligting.**

1. WAT SPORTRON A-TRON GEL IS EN WAARVOOR DIT GEBRUIK WORD:

Sportron a-tron Gel word daagliks gebruik om gewrigspyn, swelling en styfheid te verlig. Hierdie produk kan deur volwassenes van 18 jaar en ouer gebruik word.

2. WAT U MOET WEET VOORDAT SPORTRON A-TRON GEL GEBRUIK WORD:

Moenie Sportron A-tron Gel gebruik indien u hipersensitief (allergies) is vir engine bestandele.

Indien u onseker is om Sportron A-tron Gel te gebruik, konsulteer u gesondheidsorgverskaffer of apteker.

Waarskuwings en voorsorgmaatreëls:

Sportron A-tron Gel is slegs slegs vir eksterne gebruik.

As u voorskifmedikasie neem, raadpleeg ‘n gesonheidsorgpraktisyn voor gebruik. As enige ongewenste / nadelike effek ontwikkel, staak die gebruik en raadpeeg jou dokter of apteker. Gebruik word beskryf in volassenes van 18 jaar en ouer.

Vertel jou gesondheidsorg voor gebruik

- As jy enige voorskrifmedikasie neem
- As jy swanger is, prober om swanger te raak of borsvoed, vra jou dokter of apteker vir raad.

Swangerskap en borsvoeding

Sportron A-tron Gel moet nie tydens swangerskap gebruik word nie en ‘n gesondheidsorgverskaffer moet geraadpleeg word vir advies voordat Sportron A-tron Gel geneem word tydens borsvoeding.

Bestuur en gebruik van masjinerie

Sportron A-tron Gel het geen bekende effek op ‘n individu se vermoë om te bestuur of masjinerie te bestuur nie.

Neem ander medisyne of kos en drank saam met Sportron A-tron Gel

Vertel altyd jou gesondheidsorgverskaffer as jy enige ander medikasie neem. Dit is nie bekend dat Sportron A-tron Gel sleg reageer met enige soorte kos of drank nie, maar kan die opname van voedingstowwe en medikasie beïnvloed.

3. HOE OM SPORTRON A-TRON GEL TE GEBRUIK

Die gewone dosis is:

Volwassenes:

Smeer 'n dun lagie op die aangetaste area nie meer as 6 keer per dag nie. Masseer sagkens vir 2 minute na aanwending.

Metode van toediening:

Sportron A-tron Gel is slegs vir eksterne gebruik.

As jy meer Sportron A-tron Gel aanwend as wat jy moet:

As iemand, veral ‘n kind per ongeluk te veel Sportron A-tron Gel neem, kontak jou dokter of plaaslike gif sentrum onmiddellik. Sportron A-tron Gel moet nie langer as een week aaneenlopend gebruik word nie. As simptome voortduur, raadpleeg jou dokter. As jy ‘n dokter sien of om een of ander rede hospitaal toe moet gaan, vertel hulle watter medisyne jy neem.

As jy vergeet om ‘n dosis Sportron A-tron Gel te neem:

Moenie ‘n dubbele applikasie doen om op te maak vir vergete individuele applikasie nie.

4. MOONTLIKE NEWE-EFFEKTE:

Niks bekend nie. As enige newe-effekte ervaar word, vertel asseblief jou dokter of apteker.

Dit is nie bekend dat Sportron A-tron Gel sleg reageer met enige ander medisyne of enige soorte kos of drank nie.

As jou algemene gesondheid vererger, of as jy enige ongewenste effekte ervaar terwyl jy hierdie produk gebruik, raadpleeg asseblief jou dokter, apteker of ander gesondheidswerker vir advies. As jy enige newe-effekte opmerk wat nie in hierdie pamflet genoem word nie, stel asseblief jou dokter of apteker in kennis. Jy kan ook newe-effekte aan SAHPRA rapporteer via die 6.04 “Adverse Drug Reaction Reporting Form”, wat aanlyn gevind word onder SAHPRA se publikasies: https://www.sahpra.org.za/document/adverse-drug-reactions-and-quality-problem-reporting-form/.. Deur newe-effekte aan te meld, kan jy help om meer inligting oor die veiligheid van Sportron A-tron Gel te verskaf.

5. BERGINGSAANWYSINGS VIR SPORTRON A-TRON GEL

Bewaar in ‘n koel, droë plek, teen of benede 30 °C. Bêre buite bereik van kinders. Berg in die oorspronklike verpakking. Moet nie in ‘n badkamer bêre nie. Moet dit nie gebruik na die vervaldatum wat op die bottels gedruk is nie. Die vervaldatum verwys na die laaste dag van daardie maand. Moenie Sportron A-tron Gel gebruik as jy sigbare tekens van agteruitgang opmerk nie. Stuur alle ongebruikte medisyne terug na jou apteker. Moenie ongebruikte medisyne in dreine of rioolstelsels (bv. toilette) weggooi nie. Raklewe: 2 jaar.

6. INHOUD VAN DIE VERPAKKING EN ANDER INLIGTING

Wat Sportron A-Tron Gel bevat:

Elke 1g bevat:

Aktiewe bestanddele per 1g: Cannabidiol (Cannabis sativa) ISOLAAT 0,05 mg (1:100 M/M), Metielsulfonielmetaan 25 mg, Arnica montana-ekstrak 30 mg, Kruie Essensiële Olie

(Syzygium aromaticum) 1.5 mg, Wintergreen Essensiële Olie (Gaultheria procumbens) 1.75 mg, Rosmaryn Essensiële Olie (Rosmarinus officinalis) 0.5 mg.

Onaktiewe bestanddele: RO Water, Carborner, Menthol, CBD-olie ≤25 mg per 5g, natriumbenzoaat, kaliumsorbate, EDTA2Na, vanillielbutieleter, polisorbaat 20, kleurmiddel, trietanolamien.

Voorkoms van Sportron A-tron Gel en inhoud van die verpakking:

Sportron A-tron Gel is ‘n liggroen gel in ‘n wit fles met ‘n wit deksel, wat 50g gevat.

Versprei deur:

Sportron Group (Pty) Ltd

Route 21 Business Park, 59 Regency Drive, Centurion, South Africa, 0157.

Tel: +27 (11) 317 8500

www.sportron.co.za

Naam en adres van houer van registrasiesertifikaat

Microbel Laboratories (Pty) Ltd

86 Gazelle Avenue, Corporate Park South,

Midrand, Gauteng, 1685, South Africa.

Email: info@microbel.co.za

+27 11 076 4000

Datum van laaste hersiening

Februarie 2026

Registrasie/Aansoeknommer:

TBA.

Toegang tot ooreenstemmende Professionele Inligting (PI): www.sportron.co.za