SPORTRON

PROFESSIONAL INFORMATION

Category D: human complementary medicine. This medicine has not been evaluated by the SAHPRA. This medicine is not intended to diagnose, treat, cure or prevent any disease.

SCHEDULING STATUS

S0

1. NAME OF THE MEDICINE

Sportron Respitron Matrix

2. QUALITATIVE AND QUANTITATIVE COMPOSITION

Active Ingredients per serving (2,5ml): Ivy Leaf Extract (Hedera helix) 17.5 mg, Licorice Root Extract (Glycyrrhiza glabra) 5 mg, Echinacea Extract (Echinacea spp.) 10 mg, Vitamin B1 (Thiamine) 0.6 mg, Vitamin B2 (Riboflavin) 1 mg, Vitamin B5 (Pantothenic Acid) 2.5 mg, Vitamin B6 (Pyridoxine) 0.85 mg, Vitamin B12 (Cobalamin) 1.5 mcg, Vitamin C (Ascorbic Acid) 25 mg, Zinc Oxide (Zinc Oxide) 5 mg, L-Tyrosine (L-Tyrosine) 5 mg, Apple Cider Vinegar (Malus domestica fermented vinegar) 5 mg, Beta-Carotene (Beta-Carotene, Provitamin A Carotenoid) 0.55 mg, Eyebright (Euphrasia officinalis) 10 mg.

3. PHARMACEUTICAL FORM

Sportron Respitron Matrix is a bright orange liquid.

4. CLINICAL PARTICULARS

Category D: human complementary medicine. This medicine has not been evaluated by the SAHPRA. This medicine is not intended to diagnose, treat, cure or prevent any disease.

4.1. Therapeutic Indications

Sportron Respitron Matrix is used to support the respiratory system health.

4.2. Posology and method of administration

Posology

Children 4 to 6 years of age:

2,5ml daily.

Children 7 to 12 years of age:

2,5ml once or twice a day

Standard Adult dose and children above 12:

5ml once or twice a day or as directed by your health practitioner.

Method of administration

Sportron Respitron Matrix should be taken orally.

4.3. Contraindications

Avoid if allergic or sensitive to any of the listed ingredients. Do not exceed recommended dosage(s).

4.4. Special warnings and precautions for use

Sportron Respitron Matrix must not be used if hypersensitive (allergic) to any ingredients.

4.5. Interaction with other medicines and other forms of interaction

If you are taking prescription medication, consult a healthcare practitioner prior to use. Sportron Respitron Matrix are not known to react badly with any types of medicines, or food or drink.

4.6. Fertility, pregnancy and lactation

Sportron Respitron Matrix should not be used during pregnancy, and a healthcare provider should be consulted for advice prior to taking Sportron Respitron Matrix when breastfeeding.

4.7. Effects on ability to drive and use machines.

No effects on the ability to drive and use machines has been reported.

4.8. Undesirable effects

None known. Should general health worsen, or if any untoward effects are experienced while using this product, please consult a doctor, pharmacist, or other health care professional for advice.

4.9. Overdose

If you take more Sportron Respitron Matrix than you should:

If anyone, especially a child, accidentally takes too much Sportron Respitron Matrix contact your doctor or local poison centre immediately. If symptoms persist consult your doctor. If you see a doctor or have to go to hospital for any reason, tell them what medicines you are taking.

5. PHARMACOLOGICAL PROPERTIES

5.1. Pharmacodynamic properties

Category D34.12. Health Supplements. Sportron Respitron Matrix contain substances to support respiratory system health.

5.2. Pharmacokinetic properties

There is no pharmacokinetic data available on the active ingredients via the route of administration described.

5.3. Preclinical safety data

There is no preclinical safety data available on the active ingredients via the route of administration described.

6. PHARMACEUTICAL PARTICULARS

6.1. List of excipients

Inactive ingredients: RO Water, Carboxymethylcellulose, Glycerin, Sodium Benzoate, Potassium Sorbate, EDTA2NA, Citric Acid, Sorbitol, Sodium Saccharin, Flavouring, Colourant, Sodium Citrate.

6.2. Incompatibilities:

None

6.3. Shelf life

2 years

6.4. Special precautions for storage

Store below 30 ˚C in a cool, dry place. Store out of reach of children. Do not use after the expiry date stated on the bottle. The expiry date refers to the last day of the month.

6.5. Nature and contents of container

Sportron Respitron Matrix is a bright orange liquid in a white flat neck bottle with a flat-top cap tamper strip, containing 250ml.

Special precautions for disposal

No special requirements.

7. PROPOSED HOLDER OF CERTIFICATE OF REGISTRATION

Distributed by:

Sportron Group (Pty) Ltd

Route 21 Business Park, 59 Regency Drive, Centurion, South Africa, 0157.

Tel: +27 (11) 317 8500

www.sportron.co.za

Name and Address of Holder of Certificate of Registration

Microbel Laboratories (Pty) Ltd,

86 Gazelle Ave, Corporate Park South,

Midrand, Gauteng, 1685, South Africa.

Email: info@microbel.co.za

+27 11 076 4000

8. REGISTRATION NUMBER(S)

Application Number: TBC by SAHPRA

9. DATE OF FIRST AUTHORISATION/RENEWAL OF THE AUTHORISATION

TBA by SAHPRA. Date of Revision: March 2026

SPORTRON

PROFESSIONELE INLIGTING

Kategorie D: Menslike komplementêre medisyne. Hierdie medisyne is nog nie deur SAHPRA geëvalueer nie. Die doel van hierdie medisyne is nie om enige siekte te diagnoseer, behandel, genees of te voorkom nie.

SKEDULERINGSTATUS

S0

1. NAAM VAN MEDIKASIE

Sportron Respitron Matrix

2. KWALITATIEWE EN KWANTITATIEWE SAMESTELLING

Aktiewe bestanddele per porsie (2,5ml): Klimopblaar-ekstrak (Hedera helix) 17,5 mg, Dropwortel-ekstrak (Glycyrrhiza glabra) 5 mg, Echinacea-ekstrak (Echinacea spp.) 10 mg, Vitamien B1 (Thiamien) 0,6 mg, Vitamien B2 (Riboflavien) 1 mg, Vitamien B5 (Pantotheniese Suur) 2,5 mg, Vitamien B6 (Piridoksien) 0,85 mg, Vitamien B12 (Kobalamien) 1,5 mcg, Vitamien C (Askorbiensuur) 25 mg, Sinkoksied (Sinkoksied) 5 mg, L-Tirosien (L-Tirosien) 5 mg, Appelciderasyn (Malus domestica gefermenteerde asyn) 5 mg, Beta-Karoteen (Beta-Karoteen, Provitamien A Karotenoïed) 0.55 mg, Eyebright (Euphrasia officinalis) 10 mg.

3. FARMASEUTIESE DOSEERVORM

Sportron Respitron Matrix is 'n helder oranje vloeistof.

4. KLINIESE BESONDERHEDE

Kategorie D: Menslike komplementêre medisyne. Hierdie medisyne is nog nie deur SAHPRA geëvalueer nie. Die doel van hierdie medisyne is nie om enige siekte te diagnoseer, behandel, genees of te voorkom nie.

4.1 Terapeutiese Indikasies

Sportron Respitron Matrix word gebruik om die gesondheid van die asemhalingstelsel te ondersteun

4.2 Dosering En Metode Van Toediening

Dosering

Kinders 4 tot 6 jaar van ouderdom:

2,5ml daagliks

Kinders 7 tot 12 jaar van ouderdom:

2,5ml een of twee keer per dag.

Standaard volwasse dosis en kinders bo 12 jaar:

5 ml een of twee keer per dag of soos deur jou gesondheidspraktisyn voorgeskryf

Metode van toediening

Sportron Respitron Matrix moet mondelings geneem word.

4.3 Kontra-indikasies

Vermy as allergies of sensitief vir enige van die genoemde bestanddele. Moenie die aanbevole dosis(se) oorskry nie.

4.4 Waarskuwings en spesiale voorsorgmaatreëls

Sportron Respitron Matrix moet nie gebruik word as u hipersensitief (allergies) is vir enige bestanddele nie.

4.5 Interaksies met ander medisyne en ander tipe interaksies

As jy voorskrif medikasie neem, raadpleeg ‘n gesondheidsorgpraktisyn voor gebruik. Dit is nie bekend dat Sportron Respitron Matrix sleg reageer met enige tipe medisyne, of kos of drank nie.

4.6 Vrugbaarheid, swangerskap en borsvoeding

Sportron Respitron Matrix moet nie tydens swangerskap gebruik word nie en ‘n gesondheidsorgverskaffer moet geraadpleeg word vir advies voordat Sportron Respitron Matrix geneem word tydens borsvoeding.

4.7 Effek op die vermoë om te bestuur en masjinerie te gebruik

Geen effekte op die vermoë om te bestuur of om masjinerie te gebruik is aangemeld nie

4.8 Newe-effekte

Geen bekend. Indien u algemene gesondheid versleg, of indien u enige newe-effekte ervaar tydens die gebruik van hierdie produk, moet jou dokter, apteker of ander gesondheidsorgverskaffer vir advies geraadpleeg word.

4.9 Oordosering

As hy meer Sportron Respitron Matrix neem as wat jy moet:

As iemand, veral ‘n kind per ongeluk te veel Sportron Respitron Matrix neem, kontak jou dokter of plaaslike gif sentrum onmiddellik. As simptome voortduur, raadpleeg jou dokter. As jy ‘n dokter sien of om een of ander rede hospitaal toe moet gaan, vertel hulle watter medisyne jy neem.

5. FARMAKOLOGIESE EIENSKAPPE

5.1 Farmakodinamiese eienskappe

Kategorie D34.12. Gesondheid aanvulling. Sportron Respitron Matrix bevat stowwe om die gesondheid van die asemhalingstelsel te ondersteun.

5.2 Farmakokinetiese eienskappe

Daar is geen farmakokinetiese data beskikbaar oor die aktiewe bestanddele via die toedienings roete wat beskryf word nie.

5.3 Pre-kliniese gesondheidsdata

Daar is geen pre-kliniese veiligheids data beskikbaar oor die aktiewe bestanddele via die toedienings roete wat beskryf word nie.

6. FARMASEUTIESE BESONDERHEDE

6.1 Lys van hulpstowwe

Onaktiewe bestanddele: RO-water, karboksimetielsellulose, gliserien, natriumbenzoaat, kaliumsorbate, EDTA2NA, sitroensuur, sorbitol, natriumsakkarien, geurmiddel, kleurmiddel, natriumsitraat.

6.2 Onverenigbaarhede

Geen.

6.3 Rakleeftyd

2 Jaar.

6.4 Spesiale voorsorgmaatreëls vir bewaring

Bewaar benede 30 °C in ‘n koel droë plek. Hou buite bereik van kinders. Moet nie die produk na die vervaldatum aangedui op die houer gebruik nie. Die vervaldatum verwys na die laaste dag van die maand.

6.5 Samestelling en inhoud van die houer

Sportron Respitron Matrix is 'n helder oranje vloeistof in 'n wit plat nek bottel met 'n plat deksel stamperstrip, wat 250ml bevat.

Spesiale voorsorgmaatreëls vir wegdoening

Geen spesiale vereistes nie.

7. VOORGESTELDE HOUER VAN REGISTRASIESERTIFIKAAT

Versprei deur:

Sportron Group (Pty) Ltd

Route 21 Business Park, 59 Regency Drive, Centurion, South Africa, 0157.

Tel: +27 (11) 317 8500

www.sportron.co.za

Naam en Adres van Houer van Registrasiesertifikaat

Microbel Laboratories (Pty) Ltd,

86 Gazelle Ave, Corporate Park South,

Midrand, Gauteng, 1685, South Africa.

Email: info@microbel.co.za

+27 11 076 4000

8. REGISTRASIENOMMER(S)

Aansoek nommer: TBC deur SAHPRA

9. DATUM VAN EERSTE GOEDKEURING/HERNUWING VAN GOEDKEURING

TBA deur SAHPRA. Datum van hersiening: Maart 2026.